

VIROXID® SPRAY CONCENTRATE

Page: 1

Compilation date: 24/01/17

Revision date: 11/12/20

Revision No: 8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: VIROXID® SPRAY CONCENTRATE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: Topdental (Products) Ltd

12 Ryefield Way

Silsden

West Yorkshire

BD20 0EF

Tel: +44 01535652750 **Fax:** +44 01535652751

Email: science@topdental.co.uk

1.4. Emergency telephone number

Emergency tel: +44 01535652750

Office hours: 08.30 - 17:00 (UK)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Aquatic Chronic 1: H410; Skin Corr. 1B: H314

Most important adverse effects: Harmful if swallowed. Causes severe skin burns and eye damage. Very toxic to aquatic

life with long lasting effects.

2.2. Label elements

Label elements:

UFI: QC00-C0NW-5004-8HTS

Hazard statements: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage. H410: Very toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark GHS09: Environmental







VIROFEX CONCENTRATE

Page: 2

Signal words: Danger

Precautionary statements: P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P235: Keep cool.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL, CHLORIDES

EINECS	CAS	PBT / WEL	CLP Classification	Percent
269-919-4	68391-01-5	-	Skin Corr. 1B: H314; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
QUATERNARY	AMMONIUM CO	MPOUNDS, C12-14-ALKYL[(ETHYLP	HENYL)METHYL]DIMETHYL,	
287-090-7	85409-23-0	-	Skin Corr. 1B: H314; Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
DIDECYL DIME	ETHYL AMMONIU	IM CHLORIDE		•
230-525-2	7173-51-5	-	Skin Corr. 1B: H314; Aquatic Acute 1: H400; Eye Dam. 1: H318; Aquatic Chronic 2: H411; Acute Tox. 4: H302	1-10%
PROPAN-2-OL				
200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	1-10%

ALCOHOLS, C9-11, ETHOXYLATED

614-482-0 684	8439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
---------------	-----------	---	--------------------------------------	-------

STOT SE 3: H336

VIROFEX CONCENTRATE

Page: 3

POLY HEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

- COCAMIDOPRI	1802181-67 -4 OPYL BETAINE	-	Acute Tox. 2: H330; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Acute Tox. 4: H302; Skin Sens. 1B: H317; STOT SE 3: H335	1-10%
931-296-8	-	-	Eye Dam. 1: H318; Aquatic Chronic 3: H412	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

VIROFEX CONCENTRATE

Page: 4

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers

leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): PC8: Biocidal products (e.g. Disinfectants, pest control).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

PROPAN-2-OL

Workplace exposure limits:

Respirable dust:	
9 hour TMA	

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-

DNEL/PNEC Values

VIROFEX CONCENTRATE

Page: 5

Hazardous ingredients:

COCAMIDOPROPYL BETAINE

Туре	Exposure	Value	Population	Effect
DNEL	Inhalation	44mmg/m3	Workers	Systemic
DNEL	Dermal	12.5mg/kg	Workers	Systemic
DNEL	Oral	7.5mg/kg	Consumers	Systemic
DNEL	Dermal	7.5mg/kg	Consumers	Systemic
PNEC	Fresh water	0.0135mg/L	-	-
PNEC	Marine water	0.00135mg/L	-	-
PNEC	Microorganisms in sewage treatment	3000mg/L	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

Environmental: The floor of the storage room must be impermeable to prevent the escape of liquids.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Clear liquid
Colour: Blue

Odour: Characteristic odour

Relative density: 0.900 - 1.000 **pH:** 5.00 - 8.00

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

VIROFEX CONCENTRATE

Page: 6

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Aluminium. Copper.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL, CHLORIDES

ORAL	RAT	LD50	301 - 2000	mg/kg

QUATERNARY AMMONIUM COMPOUNDS, C12-14-ALKYL[(ETHYLPHENYL)METHYL]DIMETHYL,

OBAL	DAT	I DEO	301-2000	ma/ka
ORAL	RAT	LD50	301-2000	mg/kg

DIDECYL DIMETHYL AMMONIUM CHLORIDE

DERMAL	RBT	LD50	3342	mg/kg
ORAL	RAT	LD50	238	mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

ALCOHOLS, C9-11, ETHOXYLATED

DERMAL	-	LD50	>2000	mg/kg
ORAL	-	LD50	>300 - <=2000	mg/kg

POLY HEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

VIROFEX CONCENTRATE

Page: 7

COCAMIDOPROPYL BETAINE

ORAL	RΔT	LD50	>2000	ma/ka
UNAL	INAI	LDSU	>2000	ilig/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty

swallowing. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKYLDIMETHYL, CHLORIDES

Daphnia magna	48H EC50	0.016	mg/l
---------------	----------	-------	------

QUATERNARY AMMONIUM COMPOUNDS, C12-14-ALKYL[(ETHYLPHENYL)METHYL]DIMETHYL,

Daphnia magna	48H EC50	0.016	mg/l
---------------	----------	-------	------

DIDECYL DIMETHYL AMMONIUM CHLORIDE

Daphnia magna	48H EC50	0.062	mg/l

ALCOHOLS, C9-11, ETHOXYLATED

ALGAE	72H IC50	>10-<=100	mg/l
FISH	72H IC50	>10-<=100	mg/l

POLY HEXAMETHYLENE BIGUANIDE HYDROCHLORIDE

DAPHNIA	48H EC50	0.156	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.321	mg/l

VIROFEX CONCENTRATE

Page: 8

COCAMIDOPROPYL BETAINE

ALGAE	72H ErC50	1.5	mg/l
Daphnia magna	48H EC50	6.5	mg/l
FISH	96H LC50	1.11	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1903

14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

VIROFEX CONCENTRATE

Page: 9

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.